

A checklist of chiggers from Brazil, including new records (Acari: Trombidiformes: Trombiculidae and Leeuwenhoekiidae)

Fernando de Castro Jacinavicius^{1,2}, Ricardo Bassini-Silva²,
Jairo Alfonso Mendoza-Roldan², Almir Rogério Pepato³,
Ronald Ochoa⁴, Cal Welbourn⁵, Darci Moraes Barros-Battesti⁶

1 *Laboratório Especial de Coleções Zoológicas, Instituto Butantan, São Paulo, SP, Brazil* **2** *Departamento de Medicina Veterinária Preventiva e Saúde Animal, FMVZ-USP, São Paulo, SP, Brazil* **3** *Departamento de Zoologia, Instituto de Ciências Biológicas, Universidade Federal de Minas Gerais, Belo Horizonte, MG, Brazil* **4** *Systematic Entomology Laboratory, United States Department of Agriculture, Agricultural Research Service, Beltsville, MD, USA* **5** *Florida State Collection of Arthropods, Division of Plant Industry, Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA* **6** *Departamento de Patologia Veterinária, Faculdade de Ciências Agrárias e Veterinárias-UNESP, Jaboticabal, SP, Brazil*

Corresponding author: Darci Moraes Barros-Battesti (dbattesti@yahoo.com.br)

Academic editor: V. Pesic | Received 30 November 2017 | Accepted 16 January 2018 | Published 14 March 2018

<http://zoobank.org/91FC9D7B-9A2E-49C2-979B-0FA161AB6CE0>

Citation: Jacinavicius FC, Bassini-Silva R, Mendoza-Roldan JA, Pepato AR, Ochoa R, Welbourn C, Barros-Battesti DM (2018) A checklist of chiggers from Brazil, including new records (Acari: Trombidiformes: Trombiculidae and Leeuwenhoekiidae). ZooKeys 743: 1–41. <https://doi.org/10.3897/zookeys.743.22675>

Abstract

A checklist of the family Trombiculidae and Leeuwenhoekiidae is presented, containing 63 species in 30 genera of chiggers from 80 different hosts and 146 localities in Brazil. The type locality and depository are provided, including new locality and host records for the country.

Keywords

Brazil, Chigger mites, Cricetidae, Didelphidae, distribution

Introduction

The mites known as “chiggers” or “chigger mites” belong to three families: Trombiculidae Ewing, 1944, Leeuwenhoekiidae Womersley, 1944, and Walchiidae Ewing, 1946 *sensu* Wen (1999). The larvae are ectoparasites of vertebrates, and during the parasitism, they liquefy and suck the host’s epithelial tissue by the enzymatic action of their saliva. Blood is not ingested in this process, but some blood cells can be found in the gut of the mite (Jones 1950). Deutonymphs and adults are free living predators (Crossley 1960).

Studies of the biology and taxonomy of these mites were intensified during World War II, thus increasing considerably the number of known species. Soldiers were attacked in encampments and contracted rickettsioses from infected larvae (Wharton and Fuller 1952). According to these authors, in the front of the situation, the public health departments were faced with the need for cataloging studies, description, morphology, and biology of these mites. Although they are considered potential vectors of pathogens, the role of these mites in the epidemiology of rickettsiosis is unknown in the Neotropical region (Azad and Beard 1998, Poinar and Poinar 1998).

In South America, the countries that have a checklist of chiggers species are: Venezuela (Brennan and Reed 1975), Peru (Brennan and Jones 1961), Surinam (Brennan and Lukoschus 1971) and recently Chile (Stekolnikov and González-Acuña 2015). Ewing (1931) compiled the first list of chigger mites from the New World, eight species from Brazil. Wharton and Fuller (1952) increased the number by eight genera and 18 species. Fonseca (1955) reported the first human hosts for Brazil. Brennan and Goff (1977) reported 87 chigger genera for the Nearctic and Neotropical regions, of which 18 were recorded from Brazil.

The Brazilian territory is composed by five regions (north, northeast, central-west, southeast and south), 26 states and one federal district (Contel 2014). Between the 1970s and 1990s, new species were described by various researchers from specimens collected primarily in the northern and central-western parts of the country, but have never been summarized (Stekolnikov and González-Acuña 2015). Therefore, here we are compiling a checklist of species from Brazil, including new hosts and localities.

Materials and methods

In the checklist, the taxa comprise two families, Trombiculidae and Leeuwenhoekiidae. The genera and species are arranged alphabetically, in the follow format: Genus - Valid name, author and data; Species – Checklist number, valid name of species, author, date, type locality, host, and type depository, in parenthesis are the typification and the collection number, when available. In cases where the original host name has changed, the current host name is listed with the original host name in parenthesis. The host species were updated based on the IUCN (2017).

The following abbreviations were used:

BPBM	USA, Hawaii, Honolulu, Bernice Pauahi Bishop Museum;
FMNH	USA, Illinois, Chicago, Field Museum of Natural History Chicago (cited in original description as CNHM);
IBSP	Brazil, São Paulo, São Paulo, Instituto Butantan;
MNRJ	Brazil, Rio de Janeiro, São Cristovão, Universidade do Rio Janeiro, Museu Nacional;
MZSP	Brazil, São Paulo, São Paulo, Museu de Zoologia da Universidade de São Paulo;
NHMUK	United Kingdom, London, The Natural History Museum [formerly British Museum (Natural History)] (cited in original description as BMNH or BM);
OMNH	USA, Oklahoma, Norman, University of Oklahoma, Oklahoma Museum of Natural History;
OSAL	USA, Ohio, Columbus, Ohio State University Acarology Laboratory;
RMNH	Netherlands, Leiden, Naturalis Biodiversity Centre [formerly Rijksmuseum van Natuurlijke Historie];
SAM	Australia, South Australia, Adelaide, South Australian Museum;
USNM	USA, Washington D.C., National Museum of Natural History, [formerly United States National Museum] which is housed at the Systematic Entomology Laboratory (BARC-USDA-ARS), cited in original descriptions as NMNH.

Details of the records in Brazil were provided based on the bibliographic review, followed to the new records for the country, when available. The new records from the checklist are based on the material deposited in the IBSP collection. Some of these species were also reported outside Brazilian territory. These recordings of literature were included in other records.

In addition, a list of chiggers from Brazil is summarized with their respective hosts (Appendix 1) and a list of vertebrate hosts and their respective chiggers and the published information from Brazil (Appendix 2).

Results

A Brazilian checklist with eight species of the family *Leeuwenhoeekiidae* and 55 of the family *Trombiculidae*, totaling 63 chigger species in 30 genera from approximately 70 different hosts is presented. Some regions just have one or two chigger records and most of these records are represented by the type series. Species of the family *Walchiidae* were never recorded in the Brazilian territory until this work.

The chigger species *P. aemulata*, *Q. flochi*, *Q. mirandae*, and *Q. trapezoides* are reported for the first time in Brazil, and new records of locality for *T. bakeri* and new localities and hosts for the species *C. spinosus*, *E. tinami*, *K. brasiliensis*, *Q. pazca*, and *S. tamarina* are provided too.

Checklist of larvae chigger species (in alphabetical order) recorded from Brazil

Family LEEUWENHOEKIIDAE Womersley, 1944

Genus *Apolonia* Torres & Braga, 1938: 172

1. *Apolonia tigipioensis* Torres & Braga, 1938: 172; Tigipió, Pernambuco state, Brazil, ex *Gallus gallus domesticus*; IBSP (syntype, n° 1954).

Records from Brazil. In addition to the type data, Carneiro (1949, 1952) reported *A. tigipioensis* parasitizing humans and *Nothura maculosa cearensis* (Tinamiformes) in Limoeiro (Pernambuco). This chigger was also found parasitizing the birds *Struthio camelus* (Struthioniformes) and *Passer domesticus* (Passeriformes) in Petrolina (Pernambuco) (Ornelas-Almeida et al. 2007).

Other records. Venezuela (Brennan and Reed 1975).

Genus *Hannemania* Oudemans, 1911: 137

2. *Hannemania hepatica* Fonseca, 1936: 30; Butantan, São Paulo, São Paulo state, Brazil; ex. *Leptodactylus latrans* (= *L. ocellatus*); IBSP (holotype, n° 31).

Records from Brazil. Only the type data.

3. *Hannemania hylodeus* (Oudemans, 1910): 88; Brazil, ex *Hylodes* sp.; RMNH (n° 6247).

Records from Brazil. Only the type data, no locality information was provided by the author.

4. *Hannemania newsteadi* Sambon, 1928: 127; Urucum, Mato Grosso do Sul state, Brazil, ex *Hyla rubra*; NHMUK.

Records from Brazil. Only the type data.

5. *Hannemania stephensi* Sambon, 1928: 127; Tombador, Mato Grosso state, Brazil, ex *Pristimantis conspicillatus* (= *Hylodes conspicillatus*); NHMUK.

Records from Brazil. Only the type data.

Genus *Leeuwenhoekia* Oudemans, 1911: 137

6. *Leeuwenhoekia verduni* (Oudemans, 1910): 88; southern Brazil; ex. *Didelphis* sp., “opossum” RMNH (n° 6250).

Records from Brazil. Only the type data, this species was described from an unknown location in southern Brazil.

Genus *Whartonia* Ewing, 1944: 102

7. *Whartonia nudosetosa* (Wharton, 1938): 142; Cave near Oxkutzcab, Yucatan, Mexico, ex *Artibeus jamaicensis yucatanicus* and “*Pteropteryx canina canina*”; USNM (n° 1264).

Note. The correct host name is *Pteropteryx macrotis*, originally described as *Verperillio caninus*.

Records from Brazil. Silveira et al. (2015) reported this species from Medina and São José da Safira (Minas Gerais state) on *Carollia perspicillata* (Chiroptera).

Other records. Costa Rica (Webb and Loomis 1977); Guatemala (Brennan and Dalmat 1960); Jamaica (Brennan 1953); Nicaragua (Webb and Loomis 1977); Mexico (Wharton 1938, Hoffmann 1949, Loomis 1969, Webb and Loomis 1977); Surinam (Brennan and van Bronswijk 1975); Trinidad (Brennan and Jones 1960, Brennan 1967) and Venezuela (Reed and Brennan 1975).

8. *Whartonia pachywhartoni* Vercammen-Grandjean, 1966: 282; Lagoa Santa, Minas Gerais state, Brazil, ex *Micronycteris megalotis*, USNM (holotype, n° 10462/6).

Records from Brazil. In addition to the type data, *W. pachywhartoni* was found in São José da Safira (Minas Gerais) parasitizing the bat *C. perspicillata* (Silveira et al. 2015).

Family TROMBICULIDAE Ewing, 1944**Genus *Aitkenius* Brennan, 1970: 1694**

9. *Aitkenius vellosus* Brennan, 1970: 1695; Belém, Pará state, Brazil, ex *Proechimys guyannensis*, USNM (holotype and paratypes, n° 48876), FMNH (paratypes) and NHMUK (paratypes).

Records from Brazil. In addition to the type data, *A. vellosus* was also found at the same locality, on *Hylaeamys megacephalus* (Rodentia), and in Bragança (Pará) on the water rat *Nectomys squamipes* (Rodentia) (Brennan 1970d).

Genus *Arisocerus* Brennan, 1970: 32

10. *Arisocerus amapensis* Brennan, 1970: 32; Serra do Navio, Amapá state, Brazil, ex *Euryoryzomys macconnelli*; USNM (holotype and paratypes, n° 49368).

Records from Brazil. In addition to the type data, this species was also found at the same locality, on *H. megacephalus*, and in Belém (Pará) parasitizing *H. megacephalus* and *P. guyannensis* (Brennan 1970c).

Other records. Suriname (Brennan 1970c, Brennan and van Bronswijk 1975) and Venezuela (Brennan and Reed 1975).

11. *Arisocerus hertigi* (Brennan & Jones, 1964): 308; Sommerfield, Paraguay, ex “agouti”; USNM (holotype and paratypes, n° 43427), FMNH (paratypes), OSAL (paratypes), BPBM (paratypes).

Records from Brazil. This species was found in Brasília (Federal District), parasitizing the marsupial *Didelphis albiventris* (Didelphimorphia) (Goff and Gettinger 1989). In addition, *A. hertigi* was found on the Archipelago Moleques do Sul (Santa Catarina) parasitizing *Cavia intermedia* (Rodentia) (Regolin et al. 2015).

Other records. Paraguay (Brennan and Jones 1964a).

Genus *Blankaartia* Oudemans, 1911: 123

12. *Blankaartia shatrovi* Bassini-Silva & Barros-Battesti, 2016: 83; São Paulo, São Paulo state, Brazil, ex “bird”; IBSP (holotype and paratypes, n° 367).

Records from Brazil. In addition to the type data, this species was also found in Coronel Pacheco (Minas Gerais) parasitizing *Trichothraupis melanops* (Passeriformes) (Bassini-Silva et al. 2016).

13. *Blankaartia sinnamaryi* Floch & Fauran, 1956: 3; Sinnamary, French Guiana, ex *Homo sapiens*.

Records from Brazil. This species was found in Paraty (Rio de Janeiro) parasitizing *Manacus manacus* (Passeriformes), in Juiz de Fora (Minas Gerais) parasitizing *Picumnus cirratus* (Piciformes), *Tachyphonus coronatus*, *Thamnophilus caerulescens* and *Turdus rufiventris* (Passeriformes), and in Coronel Pacheco (Minas Gerais) parasitizing *Conopophaga lineata* and *Turdus albicollis* (Passeriformes) (Bassini-Silva et al. 2016).

Other records. Costa Rica (Arnold 1970, Stekolnikov et al. 2007), Cuba (Daniel and Stekolnikov 2003), French Guiana (Floch and Fauran 1956), Jamaica (Brennan 1953), Panama (Brennan and Yunker 1966), Peru (Brennan and Jones 1961a), Surinam (Brennan and van Bronswijk 1975), Trinidad (Brennan and Jones 1960), USA (Brennan 1965, Spalding et al. 1997) and Venezuela (Brennan and Reed 1975).

Genus *Buclypeus* Brennan, 1972: 1178

14. *Buclypeus catatonus* Brennan, 1972: 1178; Belém, Pará state, Brazil, ex *Proechimys guyannensis*; USNM (holotype and paratypes, n° 49322), NHMUK (paratypes), BPBM (paratypes) and FMNH (paratypes).

Records from Brazil. Only the type data.

15. *Buclypeus ignotus* (Brennan, 1971): 214; Belém, Pará state, Brazil, ex *Proechimys guyannensis*, USNM (holotype and paratypes, n° 49322), NHMUK (paratypes) and FMNH (paratypes).

Records from Brazil. Only the type data.

Genus *Caamembecaia* Gazêta, Amorim, Bossi, Linhares & Serra-Freire, 2006: 137

16. *Caamembecaia gratiosus* Gazêta, Amorim, Bossi, Linhares & Serra-Freire, 2006: 137; Itatiaia National Park, Rio de Janeiro state, Brazil, ex *Trinomys gratiosus*; MNRJ (holotype, n° 67498).

Records from Brazil. Only the type data.

Genus *Chiroptella* Vercammen-Grandjean, 1960: 469

17. *Chiroptella* (*Oudemansidium*) *australis* (Brennan, 1970): 810; Pedras Negras, Rondônia state, Brazil, ex *Nyctinomops laticaudatus* (= *Tadarida laticaudata*); USNM (holotype and paratypes, n° 50192), NHMUK (paratypes) and FMNH (paratypes).

Records from Brazil. Only the type data.

Other records. Venezuela (Brennan and Reed 1975).

Genus *Colicus* Brennan, 1970: 271

18. *Colicus brasiliensis* Goff, Whitaker & Dietz, 1983: 185; São Roque de Minas, Minas Gerais state, Brazil, ex *Oligoryzomys formesi* (= *Oryzomys fornesi*) and *Cerradomys subflavus* (= *Oryzomys subflavus*); BPBM (holotype, n°12711 and paratypes).

Records from Brazil. Only the type data.

19. *Colicus icomi* Brennan, 1970: 271; Serra do Navio, Amapá state Brazil, ex *Proechimys guyannensis*; USNM (holotype and paratypes, n° 49342).

Records from Brazil. Only the type data.

Other records. Surinam (Brennan and van Bronswijk 1975).

20. *Colicus spinosus* Goff & Gettinger, 1989: 554; Brasília, Federal District, Brazil, ex *Gracilinannus agilis*; MZSP (holotype), BPBM (paratypes), OMNH (paratypes) and USNM (paratypes).

Records from Brazil. Only the type data.

New record. IBSP 11116 (1 larva), Condomínio Vila Verde, Itapevi, São Paulo, state of São Paulo, 29-XI-2012, *Monodelphis* sp. (Didelphimorphia) (#VV 105).

Genus *Euschoengastia* Ewing 1938: 293

21. *Euschoengastia trouessarti* (Oudemans, 1910): 87; southern Brazil; ex *Didelphis* sp.; RMNH.

Records from Brazil. Only the type data, this species was described from an unknown location in southern Brazil.

Genus *Eutrombicula* Ewing, 1938: 293

22. *Eutrombicula alfreddugesi* Oudemans, 1910: 84; México, ex *Homo sapiens*; RMNH.

Records from Brazil. This species was found in Correntes (Mato Grosso) parasitizing the snake, *Xenodon merremii* and a human in São Paulo (São Paulo) (Fonseca 1932a). This species was also found in Unaí (Minas Gerais) and Pirenópolis (Goiás) parasitizing *Tropidurus oreadicus*, *Tropidurus itambere* and *Tropidurus torquatus* (Squamata) (Carvalho et al. 2006). There are additional records from Chapada do Araripe (Ceará) on *Tropidurus hispidus* (Squamata) (Delfino et al. 2011) and from Morro do Chapéu (Bahia), on *Tropidurus hispidus*, *Tropidurus cocorobensis*, *Tropidurus semitaeniatus* and *Tropidurus erythrocephalus* (Menezes et al. 2011). Recently this species was found parasitizing goats in Maranhão state (Faccini et al. 2017).

Other records. Bolivia (Brennan 1970a); Costa Rica (Arnold 1970); Cuba (Daniel and Stekolnikov 2004); USA (Rohani and Cromroy 1979); Guatemala (Brennan and Dalmat 1960); Mexico (Oudemans 1910, Wharton 1938, Pearse et al. 1936, Hoffmann 1949, Jenkins 1949, Kroman et al. 1967, Loomis 1969, Loomis and Spath 1969, Hoffmann 1990, Estébanes-González and Cervantes 2005); Panama (Brennan and Yunker 1966); Surinam (Brennan and van Bronswijk 1975; Brennan and Lukoschus 1971); Trinidad (Brennan and Jones 1960) and Venezuela (Brennan and Reed 1974).

23. *Eutrombicula batatas* (Linnaeus, 1758): 617; Surinam, ex unknown host; NHMUK.

Records from Brazil. This species was found in Manaus and Carvoeiro (Amazonas) parasitizing *G. domesticus*, and in Belém (Pará), parasitizing *Meleagris gallopavo* (Galliformes) (Ewing 1925). There are also records of *E. batatas* parasitizing *Dasyprocta agouti* (Rodentia) and unidentified Cervidae in Pará state (Bequaert 1926). Confalonieri and De Carvalho (1973) found *E. batatas* parasitizing *G. domesticus* in Mangaratiba (Rio de Janeiro). This species was also found parasitizing equines in Cáceres (Mato Grosso) (Confalonieri and Benez 1976) and on goats in Maranhão state (Faccini et al. 2017).

Other records. Argentina (Brennan and Jones 1964b); Bolivia (Brennan 1970a); Costa Rica (Arnold 1970); Curaçao (Brennan 1967); Guatemala (Brennan and Dalmat 1960); Jamaica (Brennan 1953); Mexico (Linnaeus 1758, Jenkins 1949, Loomis and Stephens 1962, Loomis 1969, Hoffmann 1990, Estébanes-González and Cervantes 2005); Panama (Brennan and Yunker 1966); Surinam (Linnaeus 1758, Brennan and Lukoschus 1971, Brennan and van Bronswijk 1975); Trinidad (Brennan and Jones 1960, Bennett and Loomis 1980) and Venezuela (Brennan and Reed 1974).

24. *Eutrombicula bruyanti* (Oudemans, 1910): 85; southern Brazil; ex *Didelphis* sp. “opossum”; RMNH.

Records from Brazil. Only the type data, this species was described from an unknown location in southern Brazil.

25. *Eutrombicula goeldii* (Oudemans, 1910): 84; Brazil; ex *Dasyprocta aguti*; RMNH.

Records from Brazil. Only the type data, no locality information was provided by the author.

Other records. Bolivia (Brennan 1970a); Colombia (Boshell and Kerr 1942, Brennan 1968a); Costa Rica (Arnold 1970); Dominica (Brennan 1967); Panama (Brennan and Yunker 1966); Surinam (Brennan 1970c, Brennan and Lukoschus 1971, Brennan and van Bronswijk 1975); Trinidad (Brennan and Jones 1960); Venezuela (Brennan and Reed 1974).

26. *Eutrombicula tinami* (Oudemans, 1910): 84; Brazil; ex *Crypturus noctivagus*; RMNH.

Records from Brazil. Only the type data, no locality information was provided by the author.

New record. IBSP 11368 (8 larvae), Condomínio Vila Verde, Itapevi, São Paulo, state of São Paulo, 19-VI-2013, *Didelphis aurita* (#VV 107).

Other records. Panama (Brennan and Lukoschus 1971); Surinam (Brennan and Lukoschus 1971); and Venezuela (Brennan and Reed 1974).

Genus *Fonsecia* Radford, 1942: 56

27. *Fonsecia ewingi* (Fonseca, 1932): 153; Correntes, Mato Grosso state, Brazil, ex *Xenodon merremii*; IBSP (syntypes, n° 27).

Records from Brazil. In addition to the type data, this species was also found at the following localities: Quiteriozinho (Mato Grosso), Birigui, Guatapar, Jacaré, Mato, Penpolis, Promisso and Silvania (So Paulo), Morrinhos (Gois) and Rio Negro (Paran) (Fonseca 1932b).

Other records. Trinidad (Brennan 1967).

28. *Fonsecia ophidica* (Fonseca, 1932): 151; Promisso, So Paulo state, Brazil, ex *Xenodon merremii*; IBSP (syntypes, n° 29).

Records from Brazil. In addition to the type data, this species was also found in Mato (So Paulo), on the same host (Fonseca 1932b).

29. *Fonsecia travassosi* (Fonseca, 1936): 29; Angra dos Reis, Rio de Janeiro state, Brazil; ex *Spilotes pullatus*; IBSP (holotype, n° 30).

Records from Brazil. Only the type data.

Genus *Hooperella* Vercammen-Grandjean, 1967: 853

30. *Hooperella spinirostra* (Vercammen-Grandjean, 1967): 854; Lagoa Santa, Minas Gerais state, Brazil, ex *Micronycteris megalotis*; USNM (holotype, n° 10462/B).

Records from Brazil. Only the type data.

Genus *Kymocta* Yunker & Brennan, 1962: 572

31. *Kymocta brasiliensis* (Fonseca, 1936): 32; Butantan, São Paulo, São Paulo state, Brazil, ex “wild mouse”; IBSP (holotype, n° 334).

Records from Brazil. Only the type data.

New records. IBSP 11129C (3 larvae), Morro Grande, Cotia, state of São Paulo, 26-IV-2012, *Akodon montensis* (#MGR 38).

32. *Kymocta faitkeni* Brennan, 1968: 614; Serra do Navio, Amapá state, Brazil, ex *Hylaeamys megacephalus* (= *Oryzomys capito*); USNM (holotype and paratypes, n° 48875) and NHMUK (paratypes).

Records from Brazil. In addition to the type data, this species was record in the same locality and host by Brennan and van Bronswijk (1973) and was also found in Bragança (Pará) parasitizing *Necomys lasiurus* (= *Zygodontomys lasiurus*) (Rodentia) and *Didelphis marsupialis* (Didelphimorphia) (Brennan and van Bronswijk 1973).

Other records. Trinidad (Brennan 1968b) and Venezuela (Brennan and Yunker 1969, Brennan and van Bronswijk 1973).

33. *Kymocta inca* (Brennan & Jones, 1961): 177; Quince Mil, Cuzco, Peru, *Nephelomys keaysi* (= *Oryzomys keaysi*); USNM (holotype and paratypes, n° 33554).

Records from Brazil. In addition to the type data, this species was record in the same locality and host by Brennan and van Bronswijk (1973) and on the rodent *P. guyannensis* in Bragança (Pará) (Brennan and van Bronswijk 1973).

Other records. Peru (Brennan and Jones 1961a) and Venezuela (Brennan and Yunker 1969).

34. *Kymocta lutui* Goff, Whitaker & Dietz, 1983: 185; National Park of Serra da Canastra, Minas Gerais state, Brazil, *Necomys lasiurus* (= *Zygodontomys lasiurus*); BPBM (holotype and paratypes, n°12712).

Records from Brazil. Only the type data.

Genus *Microtrombicula* Ewing, 1950: 297

35. *Microtrombicula brachytrichia* Brennan, 1971: 214; Belém, Para state, Brazil, *Proechimys guyannensis*; USNM (holotype and paratypes n° 50350).

Records from Brazil. Only the type data.

36. *Microtrombicula brennani* Goff, Whitaker & Dietz, 1986: 171; Poço das Antas Biological Reserve, Rio de Janeiro state, Brazil, ex *Lentopithecus rosalia*; USNM (holotype and paratypes) and BPBM (paratypes).

Records from Brazil. Only the type data.

37. *Microtrombicula rhipidomysi* Goff, Whitaker & Dietz, 1983: 183; National Park of Serra da Canastra, state of Minas Gerais, Brazil, ex *Rhipidomys mastacalis*; BPBM (holotype, n° 12710 and paratypes)

Records from Brazil. Only the type data.

Genus *Neoschoengastia* Ewing, 1929: 187

38. *Neoschoengastia esorhina* Brennan, 1971: 666; Ananindeua, Pará state, Brazil, ex *Automolus infuscatus*, USNM (holotype and paratypes, n° 56193).

Records from Brazil. Only the type data.

Genus *Parascoschoengastia* Vercammen-Grandjean, 1960: 469

39. *Parascoschoengastia aemulata* (Brennan & Jones, 1964): 307; Rancho Grande, Aragua, Venezuela, ex *Anoura caudata*; USNM (holotype and paratypes, n° 40658), FMNH (paratypes), OSAL (paratypes), BPNM (paratypes).

Records from Brazil. Present study.

New record. IBSP 12558 (1 larva), Morro Grande, Cotia, São Paulo, 20-X-2015, *Akodon* sp. (#MGR 246).

Other records. Venezuela (Brennan and Jones 1964a).

Genus *Parasecia* Loomis, 1966: 191

40. *Parasecia aitkeni* (Brennan & Jones, 1960): 510; Cumaca, Trinidad, ex *Nectomys squamipes*; USNM (holotype and paratypes, n° 33628), FHMUK (paratypes), FMNH (paratypes) and SAM (paratypes).

Records from Brazil. In addition to the type data, this species was found in the same locality, but parasitizing the marsupial *Monodelphis domestica* (Whitaker and Dietz 1987).

Other records. Bolivia (Brennan 1970a); Surinam (Brennan and Lukoschus 1971); Trinidad (Brennan and Jones 1960, Brennan 1969c) and Venezuela (Brennan and Reed 1975).

41. *Parasecia fundata* Brennan, 1969: 664; Belém, Pará state, and Serra do Navio, Amapá state, Brazil, ex *Caluromys philander*, *Didelphis marsupialis* and *Glyphorhynchus spirurus*; USNM (holotype and paratypes, n° 49323) and NHMUK (paratypes).

Records from Brazil. In addition to the type data, this species was also found parasitizing *P. guyannensis* in Serra do Navio (Amapá) (Brennan 1969c).

Other records. Costa Rica (Stekolnikov et al. 2007).

42. *Parasecia lasiurus* Goff & Gettinger, 1991: 401; Brasília, Federal District, Brazil, ex *Necromys lasiurus* and *Oxymycterus* sp.; MZSP (holotype), BPBM (paratypes), OMNH (paratypes).

Records from Brazil. Only the type data.

43. *Parasecia orphana* Brennan, 1971: 212; Belém, Pará state, Brazil, ex *Proechimys guyannensis*; USNM (holotype and paratypes, n° 50351), NHMUK (paratypes), FMNH (paratypes).

Records from Brazil. Only the type data.

44. *Parasecia thalurania* Brennan, 1969: 663; Belém, Pará state, Brazil; ex *Thalurnia furcata*; USNM (holotype, n°49374).

Records from Brazil. Only the type data.

45. *Parasecia valida* Brennan, 1969: 663; Bragança, Pará state, and Serra do Navio, Amapá state, Brazil, ex *Hylaeamys megacephalus*, *Necromys lasiurus* (= *Zygodontomys lasiurus fuscinus*) and *Monodelphis brevicaudata*; USNM (holotype and paratypes, n° 49092) and NHMUK (paratypes).

Records from Brazil. Only the type data.

Other records. Surinam (Brennan and Lukoschus 1971).

Genus *Paratrombicula* Goff & Whitaker, 1984: 329

46. *Paratrombicula plaumanni* (Brennan & Jones, 1964): 309; Nova Teutônia, Santa Catarina state, Brazil, ex *Ctenomys minutus*; USNM (holotype and paratypes, n° 34911), NHMUK (paratypes), FMNH (paratypes), OSAL (paratypes), BPNM (paratypes).

Records from Brazil. Only the type data.

Other records. Chile (Stekolnikov and González-Acuña 2012).

Genus *Perissopalla* Brennan & White, 1960: 303

47. *Perissopalla barticonycteris* Brennan, 1969: 429; Belém, Pará state, Brazil, ex *Glyphonycteris daviesi*; USNM (holotype and paratypes, n° 49939).

Records from Brazil. Only the type data.

Other records. Bolivia (Brennan 1970a) and Surinam (Brennan and Lukoschus 1971, Brennan and van Bronswijk 1975).

48. *Perissopalla ipeani* Brennan, 1969: 429; Belém, Pará state, Brazil, ex *Carollia perspicillata*; USNM (holotype and paratypes, n° 49366).

Records from Brazil. In addition to the type data, this species was also reported from *Tonatia bidens* (Chiroptera) in Parque Estadual Pedra Branca (Rio de Janeiro) (Almeida et al. 2011).

Other records. Surinam (Brennan and van Bronswijk 1975, Brennan and Lukoschus 1971).

49. *Perissopalla tanycera* Brennan, 1969: 430; Icabarú, Bolivar, Venezuela, ex *Peropteryx* sp.; RML (holotype and paratypes, n° 49833).

Records from Brazil. This species was found in Príncipe de Beira (Rondônia) parasitizing the bat *Saccopteryx bilineata* (Brennan 1970a).

Other records. Bolivia (Brennan 1970a); Surinam (Brennan and van Bronswijk 1975) and Venezuela (Brennan 1969b, Brennan and Reed 1975).

Genus *Polylopadium* Brennan & Jones, 1961: 112

50. *Polylopadium aspasium* Brennan, 1969: 868; Serra do Navio, Amapá state and Bragança, Pará state, Brazil; ex *H. megacephalus* (= *Oryzomys capito*); RML (holotype and paratypes, n° 49341).

Records from Brazil. In addition to the type data, this species was found in the same host, but in Belém (Pará) (Brennan 1969a).and also was found on the rodent *Proechimys* sp.in Príncipe da Beira (Rondônia) (Brennan 1970a).

Other records. Venezuela (Brennan and Reed 1975).

Genus *Quadrasetta* Brennan, 1970: 1695

51. *Quadrasetta brasiliensis* Goff & Gettinger, 1989: 557; Brasília, Federal District, Brazil, ex *Hylaeamys megacephalus*, *Gracilinannus agilis*, *Monodelphis Americana*; MZSP (holotype), BPBM (paratypes) and OMNH (paratypes).

Records from Brazil. Only the type data.

52. *Quadrasetta flochi* (Brennan & Jones, 1960): 503; Maingot state, Trinidad, ex *Rattus rattus*; USNM (holotype and paratypes, n° 33885), FMNH (paratypes), NHMUK (paratypes) and SAM (paratypes).

Records from Brazil. Present study.

New record. IBSP 11096F (2 larvae), Morro Grande, Cotia, São Paulo state, 20-VI-2012, *Euryoryzomys russatus* (#MGR 32).

Other records. Colombia (Brennan 1968a), Surinam (Brennan and Lukoschus 1971), Trinidad (Brennan and Jones 1960) and Venezuela (Brennan and Reed 1975).

53. *Quadrasetta mirandae* Goff & Brennan, 1977: 504; Quebrada Chacaito, Miranda, Venezuela, ex *Nephelomys albigularis* (= *Oryzomys albigularis*); USNM (holotype and paratypes, n° 52518) and BPBM (paratypes).

Records from Brazil. Present study.

New records. IBSP 10606C (1 larva), Morro Grande, Cotia, São Paulo state, 13-IX-2011, *Akodon montensis* (#MGR 6); 1 larva (IBSP 11129B), same locality and host (#MGR 38), 26-VI-2012.

Other records. Venezuela (Goff and Brennan 1977).

54. *Quadrasetta pazca* (Brennan & Jones, 1964): 700; Azul, Buenos Aires, Argentina, ex *Rattus* sp. and *Mus* sp.; USNM (holotype and paratypes, n° 38090), NHMUK (paratypes), FMNH (paratypes) and OSAL (paratypes).

Records from Brazil. Whitaker and Dietz (1987) reported this species from the Serra da Canastra National Park (Minas Gerais) on the rodent *Calomys tener*.

New records. IBSP 10606B (1 larva), Morro Grande, Cotia, São Paulo state, 13-IX-2011, *Akodon montensis* (#MGR 6); 2 larvae (IBSP 11096E), same locality, 20-VI-2012, *Euryoryzomys russatus* (#MGR 32).

Other records. Argentina (Brennan and Jones 1964b).

55. *Quadrasetta trapezoides* (Brennan & Jones, 1964): 699; Azul, Buenos Aires, Argentina, ex “fox”; USNM (holotype and paratypes, n° 38095), NHMUK (paratypes), FMNH (paratypes) and OSAL (paratypes).

Records from Brazil. Present study.

New record. IBSP 11110C (12 larvae), Morro Grande, Cotia, São Paulo state, 16-VII-2012, *Nectomys squamipes* (#MGR 40).

Other records. Argentina (Brennan and Jones 1964b).

Genus *Rhinibius* Brennan & Yunker, 1969: 304

56. *Rhinibus tamandua* Brennan & Yunker, 1969: 304; Belém, Pará state, ex *Tamandua tetradactyla*; USNM (holotype and paratypes, n° 49365), FMNH (paratypes) and NHMUK (paratypes).

Records from Brazil. Only the type data.

Other records. Venezuela (Brennan and Reed 1975, Brennan and Yunker 1969).

Genus *Serratacarus* Goff & Whitaker, 1984: 162

57. *Serratacarus dietzi* Goff & Whitaker, 1984: 163; Serra da Canastra National Park, Minas Gerais state, Brazil; ex *Necromys lasiurus*; USNM (holotype and paratypes) and BPBM (paratypes).

Records from Brazil. Only the type data.

58. *Serratacarus lasiurus* Goff & Whitaker, 1984: 166; Serra da Canastra National Park, Minas Gerais state, Brazil; ex *Necromys lasiurus*; USNM (holotype and paratypes) and BPBM (paratypes).

Records from Brazil. Only the type data.

Genus *Speleocola* Lipovsky, 1952: 132

59. *Speleocola tamarina* Goff, Whitaker & Dietz, 1987: 198; Poço das Antas Biological Reserve, Rio de Janeiro state, Brazil, ex *Lentopithecus rosalia*; USNM (holotype and paratypes).

Records from Brazil. The type data and the present study.

New records. IBSP 11364B (1 larva), Morro Grande, Cotia, São Paulo, 21-VII-2013, *Sooretamys angouya* (#MGR 148).

Genus *Trombewingia* Fonseca, 1955: 3

60. *Trombewingia bakeri* (Fonseca, 1955): 3; Reserva Florestal do Horto Florestal de São Paulo, São Paulo state, Brazil, ex *Guerlinguetus ingrami*; IBSP (Lectotype and Paralectotypes, n° 344).

Records from Brazil. In addition to the type data, Whitaker and Dietz (1987) reported it from the Serra da Canastra National Park (Minas Gerais) parasitizing the marsupial *M. domestica*. Other recent reports from São Paulo state include the municipality of Campos do Jordão and municipality of Cotia parasitizing *A. montensis*, and the rodents *Delomys dorsalis* and *Sooretamys angouya* (Jacinavicius et al. 2015).

61. *Trombewingia brasiliensis* Goff & Gettinger, 1991: 401; Brasília, Federal District, Brazil, ex *Necromys lasiurus* (= *Bolomys lasiurus*); MZSP (holotype), BPBM (paratypes) and OMNH (paratypes).

Records from Brazil. Only the type data.

Genus *Trombicula* Berlese, 1905: 155

62. *Trombicula truncata* Brennan, 1970: 272; Príncipe de Beira, Rondônia state, Brazil, ex *Saccopteryx bilineata*; USNM (holotype and paratypes, n° 50188), FMNH (paratypes) and NHMUK (paratypes).

Records from Brazil. Only the type data.

Genus *Vercammenia* Audy & Nadchatram, 1957: 95

63. *Vercammenia yorkei* (Sambon, 1928): 119; Urucum, Mato Grosso do Sul state, Brazil, ex *Scinax funereus* (= *Hyla rubra*); NHMUK (holotype, n° 147-9).

Records from Brazil. Only the type data.

Acknowledgments

To Debra D. Creel, SEL-USDA, Floyd Shockley and David Furth, NMNH for technical assistance with the chigger specimens and literature. To the Smithsonian NMNH, the Systematic Entomology Laboratory (USDA-ARS) for their support and material used in this study. This work was supported by the Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq no. 454907/2014-1 to DMB-B and 377976/2014-8 to FCJ) and Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP no. 2010/51875-9 to DMB-B and 2017/01416-7 to RB-S). Mention of trade names or commercial products in this publication is solely for the purpose of providing specific information and does not imply recommendation or endorsement by the USDA; USDA is an equal opportunity provider and employer.

References

- Almeida JC, Silva SSP, Serra-Freire NM, Valim MP (2011) Ectoparasites (Insecta and Acari) associated with bats in Southeastern Brazil. *Journal of Medical Entomology* 48: 753–757. <https://doi.org/10.1603/ME09133>
- Arnold KA (1970) Notes on Avian Ectoparasites from Costa Rica. I. Acarina and Diptera. *Revista de Biologia Tropical* 16: 259–265.
- Audy JR, Nadchatram M (1957) *Vercammenia*, new genus of chiggers hypodermal in Amphibia (Acarina, Trombiculidae). *Studies from the Institute for Medical Research Kuala Lumpur* 28: 95–102.
- Azad AF, Beard CB (1998) Rickettsial pathogens and their arthropod vectors. *Emerging Infectious Diseases* 4: 179–186. <https://doi.org/10.3201/eid0402.980205>
- Bassini-Silva R, Jacinavicius FC, Mendoza-Roldan JA, Daemon E, Barros-Battesti DM (2016) Description of *Blankaartia shatrovi* n. sp. (Acari: Trombiculidae) From Brazil. *Journal of Medical Entomology* 54: 82–90. <https://doi.org/10.1093/jme/tjw149>
- Bennett SG, Loomis RB (1980) The tropical pest chigger, *Eutrombicula batatas* (Acarina: Trombiculidae), in Arizona and California, USA. *Journal of Medical Entomology* 17: 286–286. <https://doi.org/10.1093/jmedent/17.3.286>
- Berlese A (1905) Acari nuovi. Manipulus IV. (Acari di Giava). *Redia* 2: 154–176.
- Boshell J, Kerr JA (1942) Veinticinco especies nuevas de trombidiideos de Colombia. *Revista de la Academia Colombiana de Ciencias Exactes* 5: 110–127.
- Brennan JM (1953) A note on the chiggers of Jamaica (Acarina: Trombiculidae). *Journal of Parasitology* 39: 292–295. <https://doi.org/10.2307/3273952>
- Brennan JM (1965) Five New Chiggers from Southwestern United States (Acarina: Trombiculidae). *The Journal of Parasitology* 51: 108–113. <https://doi.org/10.2307/3275656>
- Brennan JM (1967) New records of chiggers from the West Indies. *Studies on the fauna of Curaçao and other Caribbean Islands XXIV*: 146–156.
- Brennan JM (1968a) A collection of chiggers (Acarina: Trombiculidae) from rodents in southwestern Colombia. *The Journal of Parasitology* 54: 679–685. <https://doi.org/10.2307/3277019>

- Brennan JM (1968b) Endoparasitic chiggers: IV. Revision of *Kymocta* Yunker and Brennan, 1962 (Acarina: Trombiculidae), with description of a new species. *The Journal of Parasitology* 54: 613–615. <https://doi.org/10.2307/3277095>
- Brennan JM (1969a) Five new species of the unique genus *Polylopadium* (Acarina: Trombiculidae). *The Journal of Parasitology* 55: 866–871. <https://doi.org/10.2307/3277233>
- Brennan JM (1969b) New bat chiggers of the genus *Perissopalla* from Venezuela and Northeastern Brazil (Acarina: Trombiculidae). *Journal of Medical Entomology* 6: 427–431. <https://doi.org/10.1093/jmedent/6.4.427>
- Brennan JM (1969c) Three new species of subgenus *Parasecia* Loomis (genus *Fonsecia*) from Northeastern Brazil and a key to the included species (Acarina: Trombiculidae). *The Journal of Parasitology* 55: 662–666. <https://doi.org/10.2307/3277312>
- Brennan JM (1970a) Chiggers from the Bolivian-Brazilian border (Acarina: Trombiculidae). *The Journal of Parasitology* 56: 807–812. <https://doi.org/10.2307/3277728>
- Brennan JM (1970b) *Colicus*, a new neotropical genus with descriptions of two new species and a key to included species (Acarina: Trombiculidae). *Journal of Medical Entomology* 7: 271–273. <https://doi.org/10.1093/jmedent/7.2.271>
- Brennan JM (1970c) A small collection of chiggers from Surinam (Acarina: Trombiculidae). *Bulletin of the Southern California Academy of Sciences* 69: 32–37.
- Brennan JM (1970d) Two new genera and a new species of Neotropical chiggers (Acarina: Trombiculidae). *Annals of the Entomological Society of America* 63: 1694–1696. <https://doi.org/10.1093/aesa/63.6.1694>
- Brennan JM (1971a) Endoparasitic chiggers. VI. *Neoschoengastia esorbina* sp. n. (Acarina: Trombiculidae), a second intranasal chigger of birds. *The Journal of Parasitology* 57: 666–667. <https://doi.org/10.2307/3277936>
- Brennan JM (1971b) Three new chiggers from spiny rat, *Proechimys guyannensis*, in Northern Brazil (Acarina: Trombiculidae). *Annals of the Entomological Society of America* 64: 212–215. <https://doi.org/10.1093/aesa/64.1.212>
- Brennan JM (1972) *Buchypeus*, new genus for *Trombicula ignota* Brennan, *T. rotundiscutata* Fauran, and two new species (Acarina: Trombiculidae). *The Journal of Parasitology* 58: 1178–1181. <https://doi.org/10.2307/3278161>
- Brennan JM, van Bronswijk JEMH (1973) Endoparasitic Chiggers: VII. A redescription of *Kymocta* Yunker Brennan, 1962, a new species from Venezuela, and other records (Acarina: Trombiculidae). *Journal of Medical Entomology* 10: 449–451. <https://doi.org/10.1093/jmedent/10.5.449>
- Brennan JM, van Bronswijk JEMH (1975) Parasitic mites of Surinam XXI. New records of Surinam and certain French Guiana chiggers with the description of a new species of *Loomisia* Brennan & Reed, 1972 (Acarina: Trombiculidae). *Journal of Medical Entomology* 12: 243–249. <https://doi.org/10.1093/jmedent/12.2.243>
- Brennan JM, Dalmat HC (1960) Chiggers of Guatemala (Acarina: Trombiculidae). *Annals of the Entomological Society of America* 53: 183–191. <https://doi.org/10.1093/aesa/53.2.183>
- Brennan JM, Goff ML (1977) Keys to the genera of chiggers of the western hemisphere (Acarina: Trombiculidae). *The Journal of Parasitology* 63: 554–566. <https://doi.org/10.2307/3280021>

- Brennan JM, Jones EK (1960) Chiggers of Trinidad, BWI (Acarina: Trombiculidae). *Acarologia* 2: 493–540.
- Brennan JM, Jones EK (1961a) Chiggers of Peru (Acarina: Trombiculidae). *Acarologia* 3: 172–205.
- Brennan JM, Jones EK (1961b) New genera and species of chiggers from Panama (Acarina: Trombiculidae). *The Journal of Parasitology* 47: 105–124. <https://doi.org/10.2307/3274993>
- Brennan JM, Jones EK (1964a) Five new species of chiggers from South America (Acarina: Trombiculidae). *Journal of Medical Entomology* 1: 307–310. <https://doi.org/10.1093/jmedent/1.3.307>
- Brennan JM, Jones EK (1964b) Four new chiggers from Argentina (Acarina: Trombiculidae). *The Journal of Parasitology* 50: 698–702. <https://doi.org/10.2307/3276133>
- Brennan JM, Lukoschus F (1971) Parasitic of Surinam. VIII. A new genus and species of chigger, *Fauranius atecmartus*, and additional records of species (Acarina: Trombiculidae). *Bulletin of the Southern California Academy of Sciences* 70: 42–45.
- Brennan JM, Reed JT (1974) The genus *Eutrombicula* in Venezuela (Acarina: Trombiculidae). *The Journal of Parasitology* 60: 699–711. <https://doi.org/10.2307/3278741>
- Brennan JM, Reed JT (1975) A list of Venezuela chiggers, particularly of small mammalian hosts (Acarina: Trombiculidae). *Brigham Young University Science Bulletin* 20: 45–75.
- Brennan JM, White JS (1960) New records and descriptions of chiggers (Acarina: Trombiculidae) on bats in Alabama. *The Journal of Parasitology* 46: 346–350. <https://doi.org/10.2307/3275497>
- Brennan JM, Yunker CE (1966) The chiggers of Panama (Acarina: Trombiculidae). Panama, pp 221–266.
- Brennan JM, Yunker CE (1969) Endoparasitic Chiggers: V. New genera, species and records from Venezuela and Brazil (Acarina: Trombiculidae). *Journal of Medical Entomology* 6: 299–304. <https://doi.org/10.1093/jmedent/6.3.299>
- Carneiro LS (1949) Parasitose humana provocada por *Apolonia tigipioensis* Torres e Braga 1938 (Trombidiidae). *Boletim da SAIC* 16: 1–8.
- Carneiro LS (1952) Uma nova acariase humana. Continuação ao seu estudo. PhD thesis, Recife, Brazil: Universidade Federal do Pernambuco.
- Carvalho ALG, Araujo AFB, Silva HR (2006) Patterns of parasitism by *Eutrombicula alfreddugesi* (Oudemans) (Acari, Trombiculidae) in three species of *Tropidurus* Wied (Squamata, Tropiduridae) from Cerrado habitat of Central Brazil. *Revista Brasileira de Zoologia* 23: 1010–1015. <https://doi.org/10.1590/S0101-81752006000400005>
- Confalonieri UE, De Carvalho LP (1973) Occurrence of *Trombicula* (*Eutrombicula*) *batatas* (L.) in *Gallus gallus domesticus* L. in the State of Rio de Janeiro (Acarina, Trombiculidae). *Revista Brasileira de Biologia* 33: 7–10.
- Confalonieri UEC, Benez EJ (1976) Note on a new host for *Eutrombicula* (*Eutrombicula*) *batatas* L. in Brazil (Acari: Trombiculidae). *Revista Brasileira de Biologia* 36: 353–355.
- Contel FB (2014) As divisões regionais do IBGE no século XX (1942, 1970 e 1990). *Terra Brasilis* (Nova Série)3: 1–21. <https://doi.org/10.4000/terrabrasilis.990>
- Crossley DA Jr. (1960) Comparative external morphology and taxonomy of nymphs of the Trombiculidae (Acarina). *The University of Kansas Science Bulletin* 15: 135–321.

- Daniel M, Stekolnikov AA (2003) Chigger mites (Acari: Trombiculidae) new to the fauna of Cuba, with the description of two new species. *Folia Parasitologica* 50: 143–150. <https://doi.org/10.14411/fp.2003.025>
- Daniel M, Stekolnikov AA (2004) Chigger mites of the genus *Eutrombicula* Ewing, 1938 (Acari: Trombiculidae) from Cuba, with the description of three new species. *Folia Parasitologica* 51: 359–366. <https://doi.org/10.14411/fp.2004.045>
- Delfino MM, Ribeiro SC, Furtado IP, Anjos LA, Almeida WO (2011) Pterygosomatidae and Trombiculidae mites infesting *Tropidurus hispidus* (Spix, 1825) (Tropiduridae) lizards in northeastern Brazil. *Brazilian Journal of Biology* 71: 549–555. <https://doi.org/10.1590/S1519-69842011000300028>
- Estébanes-González ML, Cervantes FA (2005) Mites and ticks associated with some small mammals in Mexico. *International Journal of Acarology* 31: 23–37. <https://doi.org/10.1080/01647950508684413>
- Ewing HE (1925) A new chigger (*Trombicula larva*) from Brazil. *Proceedings of the Entomological Society of Washington* 27: 91–92.
- Ewing HE (1929) A Manual of external parasites. Springfield, Illinois, 225 pp.
- Ewing HE (1931) A catalogue of the Trombiculinae, or chigger mites, of the New World, with new genera and species and a key to the genera. *Proceedings of the United States National Museum* 80: 1–23. <https://doi.org/10.5479/si.00963801.80-2908.1>
- Ewing HE (1938) A key to the genera of chiggers with descriptions of new genera and species. *Journal of the Washington Academy of Sciences* 28: 288–295.
- Ewing HE (1944) Notes on the taxonomy of the Trombiculid Mites. *Proceedings of the Biological Society of Washington* 57: 101–104.
- Ewing HE (1946) Notes on trombiculid mites with descriptions of Walchiinae n. subf., *Speotrombicula* n. g., and *Eutrombicula defecta* n. sp. *The Journal of Parasitology* 32: 435–440. <https://doi.org/10.2307/3272913>
- Ewing HE (1950) A redescription of four genera of chigger mites, together with a redescription of a new genus and subgenus. *Proceedings of the Entomological Society of Washington* 52: 291–299.
- Faccini JLH, Santos ACG, Santos SB, Jacinavicius FC, Bassini-Silva R, Barros-Battesti DM (2017) Trombiculiasis in domestic goats and humans in the state of Maranhão, Brazil. *Revista Brasileira de Parasitologia Veterinária* 26: 104–109. <https://doi.org/10.1590/s1984-29612016088>
- Floch H, Fauran P (1956) Sur deux espèces du genre “*Trombicula*” (Acariens, Trombiculidés) nouvelles pour la faune de la Guyane Française: “*Trombicula alfreddugesi*” (Oudemans, 1910) et “*Trombicula sinnamaryi*” n. sp. *Archives de l’Institut Pasteur de La Guyane Française et de l’Inini* 17: 1–7.
- Fonseca F (1932a) Notas de Acareologia V. *Trombicula butantanensis* sp. n. (Acarina, Trombidiidae). *Memórias do Instituto Butantan* 7: 148–150.
- Fonseca F (1932b) Notas de Acareologia VI. Duas novas espécies de larvas do gênero *Trombicula*: *Trombicula ophidica* sp. n. e *Trombicula ewingi*, sp. n. (Acarina, Trombidiidae); nota sobre *Trombicula butantanensis* Fonseca, 1932 e sobre a inexistência de *T. akamushi* (Brumpt, 1910) entre nós. *Memórias do Instituto Butantan* 7: 151–158.

- Fonseca F (1936) Notas de Acareologia XXIII: novas especies de trombiculinae dos generos *Trombicula*, *Hannemania* e *Neoschöngastia*. Memórias do Instituto Butantan 10: 29–32.
- Fonseca F (1955) Acarological notes XXXVII. *Schoengastia* (*Trombewingia*) *bakeri*, subg. n., sp. n., and notes on the parasitism of man by chigger mites from Brazil (Acari: Trombiculidae). Revista Brasileira de Entomologia 3: 1–12.
- Gazêta GS, Amorim M, Bossi DEP, Linhares AX, Serra-Freire NM (2006) *Caamembecaia gratiosus* n. gen., n. sp. (Acari: Trombiculidae), from *Trinomys gratiosus* (Gunter) (Rodentia: Echimyidae), of Atlantic forest in southeastern Brazil. Memórias do Instituto Oswaldo Cruz 101: 137–139. <https://doi.org/10.1590/S0074-02762006000200003>
- Goff ML, Brennan JM (1977) A new monotypic genus of chiggers and four new species of *Quadrasetta* from Venezuela (Acari: Trombiculidae). Western North American Naturalist 37: 501–509.
- Goff ML, Gettinger D (1989) Two new species of Schoengastiine chiggers (Acari: Trombiculidae) from Brazil and rediagnosis of *Arisocerus* Brennan, 1970. Journal of Medical Entomology 26: 554–558. <https://doi.org/10.1093/jmedent/26.6.554>
- Goff ML, Gettinger D (1991) Two new species of chiggers (Acari: Trombiculidae) from small mammals collected in Brazil. Journal of Medical Entomology 28: 401–404. <https://doi.org/10.1093/jmedent/28.3.401>
- Goff ML, Whitaker JO (1984a) A new genus and two new species of schoengastiine chiggers (Acari: Trombiculidae) from a cane mouse in Brazil. International Journal of Entomology 26: 162–166.
- Goff ML, Whitaker JO, Dietz JM (1983) Three new species of chiggers (Acari: Trombiculidae) from Brazil. Journal of Medical Entomology 20: 183–188. <https://doi.org/10.1093/jmedent/20.2.183>
- Goff ML, Whitaker JO, Dietz JM (1986) A new species of *Microtrombicula* (Acari: Trombiculidae) from the Golden Lion Tamarin in Brazil. International Journal of Acarology 12: 171–173. <https://doi.org/10.1080/01647958608683460>
- Goff ML, Whitaker JO Jr. (1984b) A small collection of chiggers (Acari: Trombiculidae) from mammals collected in Paraguay. Journal of Medical Entomology 21: 327–335. <https://doi.org/10.1093/jmedent/21.3.327>
- Goff ML, Whitaker JO Jr., Dietz JM (1987) The genus *Speleocola* (Acari: Trombiculidae) with description of a new species from Brazil and a key to the species. Journal of Medical Entomology 24: 198–200. <https://doi.org/10.1093/jmedent/24.2.198>
- Hoffmann A (1949) Contribuciones al conocimiento de los trombiculidos mexicanos (1a parte). Revista de la Sociedad Mexicana de Historia Natural 10: 185–190.
- Hoffmann A (1990) Los trombicúlidos de México (Acarida: Trombiculidae). Universidad Nacional Autónoma de México, México, 275 pp.
- IUCN (2017) The IUCN Red List of threatened Species. Version 2017–2. <http://www.iucn-redlist.org>. Downloaded on 14 September 2017.
- Jacinavicius FC, Bassini-Silva R, Oliveira MVB, Hingst-Zaher E, Barros-Battesti DM (2015) *Trombewingia bakeri* (Fonseca, 1955) (Trombidiformes: Trombiculidae): Lectotype and paralectotype designation and new records. Systematic and Applied Acarology 20: 641–646. <https://doi.org/10.11158/saa.20.6.6>

- Jenkins DW (1949) Trombiculid mites affecting man. IV. Revision of *Eutrombicula* in the American Hemisphere. *Annals of the Entomological Society of America* 42: 289–318. <https://doi.org/10.1093/aesa/42.3.289>
- Jones BM (1950) The penetration of the host tissue by the harvest mite, *Trombicula autumnalis* Shaw. *Parasitology* 40: 247–260. <https://doi.org/10.1017/S0031182000018096>
- Kroman RA, Loomis RB, Swatek FE, Omieczynski DJ (1967) The presence of the yeastlike cells of probable symbiotic nature in trombiculid mites. In: Evans GO (Ed) *Proceedings of the International Congress of Acarology*, 2. Akad. Kiado, Budapest, 309–315.
- Linnaeus C (1758) *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus differentiis, synonymis, locis*. Laurentii Salvii, Holmiae, 824 pp.
- Lipovsky LJ (1952) A new genus and species of chigger mite (Acarina, Trombiculidae). *Journal of the Kansas Entomological Society* 25: 132–137.
- Loomis RB (1966) A new genus, *Fonsecula*, and a new subgenus (*Parasecia*) of the genus *Fonsecia* (Acarina, Trombiculidae). *Bulletin of the Southern California Academy of Sciences* 65: 190–191.
- Loomis RB (1969) Chiggers (Acarina, Trombiculidae) from vertebrates of the Yucatan Peninsula. Mexico. *Miscellaneous Publication - University of Kansas, Museum of Natural History* 50: 1–22.
- Loomis RB, Spath LC (1969) A new species of *Odontacarus* Ewing (Acarina: Trombiculidae) from lizards of Baja California sur, Mexico. *Bulletin of the Southern California Academy of Sciences* 68: 187–190.
- Loomis RB, Stephens RC (1962) *Marmosa canescens* in Sonora, Mexico. *Journal of Mammalogy* 43: 111. <https://doi.org/10.2307/1376895>
- Menezes VA, Fontes AF, Gettinger D, Sluys MV, Rocha CFD (2011) A morphometric study of *Eutrombicula alfreddugesi* (Acari: Trombiculidae) infesting four sympatric species of *Tropidurus* (Squamata: Tropiduridae) in northeastern Brazil. *Phyllomedusa* 10: 79–84. <https://doi.org/10.11606/issn.2316-9079.v10i1p79-84>
- Ornelas-Almeida MA, Oliveira FRB, Alessandra Estrela da Silva AE, Moreira ELT, Maia PCC, Duarte LFC, Murphy G, Ayres MCC (2007) Nodular trombiculiosis caused by *Apolonia tigipioensis*, Torres and Braga (1938), in an ostrich (*Struthio camelus*) and a house sparrow (*Passer domesticus*). *Veterinary Parasitology* 150: 374–377. <https://doi.org/10.1016/j.vetpar.2007.09.020>
- Oudemans AC (1910) *Acarologische aantekeningen XXXIII*. *Entomologische Berichten* (Amsterdam) 3: 83–90.
- Oudemans AC (1911a) *Acarologische aantekeningen XXXV*. *Entomologische Berichten* (Amsterdam) 3: 118–126. <https://doi.org/10.5962/bhl.part.1135>
- Oudemans AC (1911b) *Acarologische aantekeningen XXXVI*. *Entomologische Berichten* (Amsterdam) 3: 137–139. <https://doi.org/10.5962/bhl.part.1136>
- Oudemans AC (1912) Die bis jetzt bekannten larven von Trombidiidae and Erythraeidae mit besonderer berucksichtigung der fur den menschen schadlichen Arten. *Zoologische Jahrbucher: Supplement* 1: 1–230.
- Pearse AS, Creaser EP, Hall FG (1936) *The cenotes of Yucatan*. Carnegie Institution of Washington Publications, 304 pp.

- Poinar G Jr., Poinar R (1998) Parasites and pathogens of mites. *Annual Review of Entomology* 43: 449–469. <https://doi.org/10.1146/annurev.ento.43.1.449>
- Radford CD (1942) The larval Trombiculinae (Acarina, Trombidiidae) with descriptions of twelve new species. *Parasitology* 34: 55–81. <https://doi.org/10.1017/S0031182000015997>
- Reed JT, Brennan JM (1975) The subfamily Leeuwenhoekinae in the neotropics (Acarina: Trombiculidae). *Brigham Young University Science Bulletin, Biological Series* 20: 12–25.
- Regolin AL, Furnari N, Jacinavicius FC, Linardi PM, Carvalho-Pinto CJ (2015) Ectoparasites of the critically endangered insular cavy, *Cavia intermedia* (Rodentia: Caviidae), southern Brazil. *International Journal for Parasitology: Parasites and Wildlife* 4: 37–42. <https://doi.org/10.1016/j.ijppaw.2014.12.009>
- Rohani IB, Cromroy HL (1979) Taxonomy and distribution of chiggers (Acarina: Trombiculidae) in Northcentral Florida. *The Florida Entomologist* 62: 363–376. <https://doi.org/10.2307/3493993>
- Sambon LW (1928) The parasitic acariens of animals and the part they play in the causation of the eruptive fevers and other diseases of man. *Annals of Tropical Medicine and Parasitology* 22: 67–132. <https://doi.org/10.1080/00034983.1928.11684565>
- Silveira PSA, Bernardi LFO, Pepato AR (2015) New records of the genus *Whartonia* (Acari, Leeuwenhoekidae) associated with the bat *Carollia perspicillata* from southeastern Brazil. *Check List* 11: 1793. <https://doi.org/10.15560/11.6.1793>
- Spalding MG, Wrenn WJ, Schwikert ST, Schmidt JA (1997) Dermatitis in young Florida sandhill cranes (*Grus canadensis pratensis*) due to infestation by the chigger, *Blankaartia sinnamaryi*. *The Journal of Parasitology* 83: 768–771. <https://doi.org/10.2307/3284263>
- Stekolnikov AA, González-Acuña D (2015) A review of Chilean chiggers (Acari: Trombiculidae), with the description of a new genus and ten new species. *Zootaxa* 3964: 1–43. <https://doi.org/10.11646/zootaxa.3964.1.1>
- Stekolnikov AA, González-Acuña D (2012) A revision of the chigger mite genus *Paratrombicula* Goff & Whitaker, 1984 (Acari: Trombiculidae), with the description of two new species. *Systematic Parasitology* 83: 105–115. <https://doi.org/10.1007/s11230-012-9373-8>
- Stekolnikov AA, Literak I, Capek M, Havlck M (2007) Chigger mites (Acari: Trombiculidae) from wild birds in Costa Rica, with a description of three new species. *Folia Parasitologica* 54: 59–67. <https://doi.org/10.14411/fp.2007.008>
- Torres S, Braga W (1938) Nova parasitose em pintos (nota prévia). *Boletim da Sociedade Brasileira de Medicina Veterinária* 3: 171–172.
- Vercammen-Grandjean PH (1960) Introduction à un essai de classification rationnelle des larves de Trombiculinae Ewing, 1944 (Acarina: Trombiculidae). *Acarologia* 2: 469–471.
- Vercammen-Grandjean PH (1966) *Whartonia pachywhartoni* n. sp., an extraordinary parasite of a Brazilian, bat. (Leeuwenhoekidae – Acarina). *Acarologia* 8: 282–284.
- Vercammen-Grandjean PH (1967) Revision of the genus *Tecomatlana* Hoffmann, 1947 (Acarina: Trombiculidae). *Acarologia* 9: 848–864.
- Webb JP Jr., Loomis RB (1977) Ectoparasites. In: Baker RJ, Jones Jr. JK, Carter DC (Eds) *Biology of bats of the New World family Phyllostomatidae*. Special publications of the Museum, Texas Tech University, Texas, 57–119.

- Wen T-H (1999) New taxa and tentative rearrangement of Walchiidae stat. n. with remarks on Trombiculoidea nec Welbourn, 1991 (Acari: Acariformes). *Systematic and Applied Acarology* 4: 165–178. <https://doi.org/10.11158/saa.4.1.24>
- Wharton GW (1938) Acarina of Yucatan caves. *Carnegie Institution of Washington Publications* 491: 137–152.
- Wharton GW, Fuller HS (1952) A manual of the chiggers: The biology, classification, distribution and importance to man of the larvae of the family Trombiculidae (Acarina). *Memoirs of the Entomology Society of Washington*, 185 pp.
- Whitaker JO Jr., Dietz JM (1987) Ectoparasites and other associates of some mammals from Minas Gerais, Brazil. *Entomological News* 98: 189–197.
- Womersley H (1944) Notes on and additions to the Trombiculinae and Leeuwenhoeekiinae (Acarina) of Australia and New Guinea. *Transactions of The Royal Society of South Australia* 68: 82–112.
- Yunker CE, Brennan JM (1962) Endoparasitic chiggers: II. Rediscovery of *Dolosisia synoti* Oudemans, 1910, with descriptions of a new subgenus and two new species (Acarina: Trombiculidae). *Acarologia* 4: 570–576.

Appendix I

Taxonomic list of chiggers and their respective hosts.

Leeuwenhoeekiidae

Apolonia tigipioensis Torres & Braga, 1938

Aves

Galliformes

Phasianidae

Gallus gallus domesticus

Passeriformes

Passeridae

Passer domesticus

Struthioniformes

Struthionidae

Struthio camelus

Tinamiformes

Tinamidae

Nothura maculosa cearensis

Mammalia

Primates

Hominidae

Homo sapiens

***Hannemania hepatica* Fonseca, 1936**

Amphibia

Anura

Leptodactylidae

*Leptodactylus latrans****Hannemania hylodeus* (Oudemans, 1910)**

Amphibia

Anura

Hylodidae

Hylodes sp.***Hannemania newsteadi* Sambon, 1928**

Amphibia

Anura

Hylidae

*Scinax funereus****Hannemania stephensi* Sambon, 1928**

Amphibia

Anura

Craugastoridae

*Pristimantis conspicillatus****Leeuwenhoekia verduni* (Oudemans, 1910)**

Mammalia

Didelphimorphia

Didelphidae

Didelphis sp.***Whartonia nudosetosa* (Wharton, 1938)**

Mammalia

Chiroptera

Phyllostomidae

*Carollia perspicillata****Whartonia pachywhartoni* Vercammen-Grandjean, 1966**

Mammalia

Chiroptera

Phyllostomidae

*Carollia perspicillata**Micronycteris megalotis*

Trombiculidae

***Aitkenius vellosus* Brennan, 1970**

Mammalia

Rodentia

Cricetidae

Hylaeamys megacephalus

Nectomys squamipes

Echimyidae

Proechimys guyannensis

***Arisocerus amapensis* Brennan, 1970**

Mammalia

Rodentia

Cricetidae

Euryoryzomys macconnelli

Hylaeamys megacephalus

Echimyidae

Proechimys guyannensis

***Arisocerus hertigi* (Brennan & Jones, 1964)**

Mammalia

Didelphimorphia

Didelphidae

Didelphis albiventris

Rodentia

Caviidae

Cavia intermedia

***Blankaartia shatrovi* Bassini-Silva & Barros-Battesti, 2016**

Aves

“bird”

Passeriformes

Thraupidae

Trichothraupis melanops

***Blankaartia sinnamaryi* Floch & Fauran, 1956**

Aves

Passeriformes

Conopophagidae

Conopophaga lineata

Pipridae

Manacus manacus

Thamnophilidae

Thamnophilus caerulescens

Thraupidae

Tachyphonus coronatus

Turdida

Turdus albicollis

Turdus rufiventris

Piciformes

Picidae

Picumnus cirratus

Mammalia

Primates

Hominidae

Homo sapiens

***Buclypeus catatonus* Brennan, 1972**

Mammalia

Rodentia

Echimyidae

Proechimys guyannensis

***Buclypeus ignotus* (Brennan, 1971)**

Mammalia

Rodentia

Echimyidae

Proechimys guyannensis

***Caamembecaia gratiosus* Gazêta, Amorim, Bossi, Linhares & Serra-Freire, 2006**

Mammalia

Rodentia

Echimyidae

Trinomys gratiosus

***Chiropptella (Oudemansidium) australis* (Brennan, 1970)**

Mammalia

Chiroptera

Molossidae

Nyctinomops laticaudatus

***Colicus brasiliensis* Goff, Whitaker & Dietz, 1983**

Mammalia

Rodentia

Cricetidae

Cerradomys subflavus

Oligoryzomys fornesi

***Colicus icomi* Brennan, 1970**

Mammalia

Rodentia

Echimyidae

Proechimys guyannensis

***Colicus spinosus* Goff & Gettinger, 1989**

Mammalia

Didelphimorphia

Didelphidae

Gracilinannus agilis

Monodelphis sp.

***Euschoengastia trouessarti* (Oudemans, 1910)**

Mammalia

Didelphimorphia

Didelphidae

Didelphis sp.

***Eutrombicula alfreddugesi* Oudemans, 1910**

Mammalia

Artiodactyla

Bovidae

“goats”

Primates

Hominidae

Homo sapiens

Reptilia

Squamata

Colubridae

Xenodon merremii

Tropiduridae

Tropidurus cocorobensis

Tropidurus erythrocephalus

Tropidurus hispidus

Tropidurus itambere

Tropidurus oreadicus
Tropidurus semitaeniatus
Tropidurus torquatus

***Eutrombicula batatas* (Linnaeus, 1758)**

Aves
 Galliformes
 Phasianidae
 Gallus domesticus
 Meleagris gallopavo
Mammalia
 Artiodactyla
 Cervidae
 Unidentified
 Bovidae
 “goats”
 Perissodactyla
 Equidae
 “Equines”
 Rodentia
 Dasyproctidae
 Dasyprocta agouti

***Eutrombicula bruyanti* (Oudemans, 1910)**

Mammalia
 Didelphimorphia
 Didelphidae
 Didelphis sp.

***Eutrombicula goeldii* (Oudemans, 1910)**

Mammalia
 Rodentia
 Dasyproctidae
 Dasyprocta agouti

***Eutrombicula tinami* (Oudemans, 1910)**

Aves
 Tinamiformes
 Tinamidae
 Crypturellus noctivagus
Mammalia
 Didelphimorphia
 Didelphidae
 Didelphis aurita

***Fonsecia ewingi* (Fonseca, 1932)**

Reptilia

Squamata

Colubridae

Xenodon merremii

***Fonsecia ophidica* (Fonseca, 1932)**

Reptilia

Squamata

Colubridae

Xenodon merremii

***Fonsecia travassosi* (Fonseca, 1936)**

Reptilia

Squamata

Colubridae

Spilotes pullatus

***Hooperella spinirostra* (Vercammen-Grandjean, 1967)**

Mammalia

Chiroptera

Phyllostomidae

Micronycteris megalotis

***Kymocta brasiliensis* (Fonseca, 1936)**

Mammalia

Rodentia

“wild mouse”

Cricetidae

Akodon montensis

***Kymocta faitkeni* Brennan, 1968**

Mammalia

Didelphimorphia

Didelphidae

Didelphis marsupialis

Rodentia

Cricetidae

Hylaeamys megacephalus

Necomys lasiurus

***Kymocta inca* (Brennan & Jones, 1961)**

Mammalia

Rodentia

Cricetidae

Hylaeamys megacephalus

Echimyidae

*Proechimys guyannensis****Kymocta lutui* Goff, Whitaker & Dietz, 1983**

Mammalia

Rodentia

Cricetidae

*Necomys lasiurus****Microtrombicula brachytrichia* Brennan, 1971**

Mammalia

Rodentia

Echimyidae

*Proechimys guyannensis****Microtrombicula brennani* Goff, Whitaker & Dietz, 1986**

Mammalia

Primates

Callitrichidae

*Lentopithecus rosalia****Microtrombicula rhipidomysi* Goff, Whitaker & Dietz, 1983**

Mammalia

Rodentia

Cricetidae

*Rhipidomys mastacalis****Neoschoengastia esorbina* Brennan, 1971**

Aves

Passeriformes

Furnariidae

*Automolus infuscatus****Parascoschoengastia aemulata* (Brennan & Jones, 1964)**

Mammalia

Rodentia

Cricetidae

Akodon sp.

***Parasecia aitkeni* (Brennan & Jones, 1960)**

Mammalia

Didelphimorphia

Didelphidae

Monodelphis domestica

Rodentia

Cricetidae

Calomys tener

Nectomys squamipes

***Parasecia fundata* Brennan, 1969**

Aves

Passeriformes

Dendrocolaptidae

Glyphorynchus spirurus

Mammalia

Didelphimorphia

Didelphidae

Caluromys philander

Didelphis marsupialis

Rodentia

Echimyidae

Proechimys guyannensis

***Parasecia lasiurus* Goff & Gettinger, 1991**

Mammalia

Rodentia

Cricetidae

Necromys lasiurus

Oxymycterus sp.

***Parasecia orphana* Brennan, 1971**

Mammalia

Rodentia

Echimyidae

Proechimys guyannensis

***Parasecia thalurania* Brennan, 1969**

Aves

Apodiformes

Trochilidae

Thalurania furcata

***Parasecia valida* Brennan, 1969**

Mammalia

Didelphimorphia

Didelphidae

Monodelphis brevicaudata

Rodentia

Cricetidae

*Hylaeamys megacephalus**Necromys lasiurus****Paratrombicula plaumanni* (Brennan & Jones, 1964)**

Mammalia

Rodentia

Ctenomyidae

*Ctenomys minutus****Perissopalla barticonycteris* Brennan, 1969**

Mammalia

Chiroptera

Phyllostomidae

*Glyphonycteris daviesi****Perissopalla ipeani* Brennan, 1969**

Mammalia

Chiroptera

Phyllostomidae

*Carollia perspicillata**Tonatia bidens****Perissopalla tanycera* Brennan, 1969**

Mammalia

Chiroptera

Emballonuridae

*Saccopteryx bilineata****Polylopadium aspasium* Brennan, 1969**

Mammalia

Rodentia

Cricetidae

Hylaeamys megacephalus

Echimyidae

Proechimys sp.

***Quadraseta brasiliensis* Goff & Gettinger, 1989**

Mammalia

Didelphimorphia

Didelphidae

Gracilinannus agilis

Monodelphis americana

Rodentia

Cricetidae

Hylaeamys megacephalus

***Quadraseta flochi* (Brennan & Jones, 1960)**

Mammalia

Rodentia

Cricetidae

Euryoryzomys russatus

***Quadraseta mirandae* Goff & Brennan, 1977**

Mammalia

Rodentia

Cricetidae

Akodon montensis

***Quadraseta pazca* (Brennan & Jones, 1964)**

Mammalia

Rodentia

Cricetidae

Euryoryzomys russatus

Calomys tener

***Quadraseta trapezoides* (Brennan & Jones, 1964)**

Mammalia

Rodentia

Cricetidae

Nectomys squamipes

***Rhinibus tamandua* Brennan & Yunker, 1969**

Mammalia

Pilosa

Myrmecophagidae

Tamandua tetradactyla

***Serratacarus dietzi* Goff & Whitaker, 1984**

Mammalia

Rodentia

Cricetidae

*Nectomys lasiurus****Serratacarus lasiurus* Goff & Whitaker, 1984**

Mammalia

Rodentia

Cricetidae

*Nectomys lasiurus****Speleocola tamarina* Goff, Whitaker & Dietz, 1987**

Mammalia

Primates

Callitrichidae

Lentopithecus rosalia

Rodentia

Cricetidae

*Sooretamys angouya****Trombewingia bakeri* (Fonseca, 1955)**

Mammalia

Rodentia

Cricetidae

*Akodon montensis**Delomys dorsalis**Sooretamys angouya*

Sciuridae

Guerlinguetus ingrami

Didelphimorphia

Didelphidae

*Monodelphis domestica****Trombewingia brasiliensis* Goff & Gettinger, 1991**

Mammalia

Rodentia

Cricetidae

Necromys lasiurus (= *Bolomys lasiurus*)

***Trombicula truncata* Brennan, 1970**

Mammalia

Chiroptera

Emballonuridae

*Saccopteryx bilineata****Vercammenia yorkei* (Sambon, 1928)**

Amphibia

Anura

Hylidae

*Scinax funereus***Appendix 2**

List of hosts, their associations with chiggers and the respective reference.

Amphibia

Anura

Craugastoridae

*Pristimantis conspicillatus**Hannemania stephensi* Sambon 1928

Hylidae

*Scinax funereus**Hannemania newsteadi* Sambon 1928*Vercammenia yorkei* Sambon 1928

Hylodidae

Hylodes sp.*Hannemania hylodeus* Oudemans 1910

Leptodactylidae

*Leptodactylus latrans**Hannemania hepatica* Fonseca 1936

Reptilia

Squamata

Colubridae

*Spilotes pullatus**Fonsecia travassosi* Fonseca 1936*Xenodon merremii**Eutrombicula alfreddugesi* Fonseca 1932a*Fonsecia ewingi* Fonseca 1932b*Fonsecia ophidica* Fonseca 1932b

Tropiduridae

*Tropidurus cocorobensis**Eutrombicula alfreddugesi* Menezes et al. 2011*Tropidurus erythrocephalus**Eutrombicula alfreddugesi* Menezes et al. 2011*Tropidurus hispidus**Eutrombicula alfreddugesi* Delfino et al. 2011, Menezes et al. 2011*Tropidurus itambere**Eutrombicula alfreddugesi* Carvalho et al. 2006*Tropidurus oreadicus**Eutrombicula alfreddugesi* Carvalho et al. 2006*Tropidurus semitaeniatus**Eutrombicula alfreddugesi* Menezes et al. 2011*Tropidurus torquatus**Eutrombicula alfreddugesi* Carvalho et al. 2006

Aves

“bird”

Blankaartia shatrovi Bassini-Silva et al. 2016

Apodiformes

Trochilidae

*Thalurania furcata**Parasecia thalurania* Brennan 1969c

Galliformes

Phasianidae

*Gallus domesticus**Apolonia tigipioensis* Torres and Braga 1938*Eutrombicula batatas* Ewing 1925, Confalonieri and De Carvalho 1973*Meleagris gallopavo**Eutrombicula batatas* Ewing 1925

Passeriformes

Conopophagidae

*Conopophaga lineata**Blankaartia sinnamaryi* Bassini-Silva et al. 2016

Dendrocolaptidae

*Glyphorynchus spirurus**Parasecia fundata* Brennan 1969c

Furnariidae

*Automolus infuscatus**Neoschoengastia esorhina* Brennan 1971a

- Pipridae
 - Manacus manacus*
 - Blankaartia sinnamaryi* Bassini-Silva et al. 2016
- Passeridae
 - Passer domesticus*
 - Apolonia tigipioensis* Ornelas-Almeida et al. 2007
- Thamnophilidae
 - Thamnophilus caerulescens*
 - Blankaartia sinnamaryi* Bassini-Silva et al. 2016
- Thraupidae
 - Tachyphonus coronatus*
 - Blankaartia sinnamaryi* Bassini-Silva et al. 2016
 - Trichothraupis melanops*
 - Blankaartia shatrovi* Bassini-Silva et al. 2016
- Turdidae
 - Turdus albicollis*
 - Blankaartia sinnamaryi* Bassini-Silva et al. 2016
 - Turdus rufiventris*
 - Blankaartia sinnamaryi* Bassini-Silva et al. 2016
- Piciformes
 - Picidae
 - Picumnus cirratus*
 - Blankaartia sinnamaryi* Bassini-Silva et al. 2016
- Struthioniformes
 - Struthionidae
 - Struthio camelus*
 - Apolonia tigipioensis* Ornelas-Almeida et al. 2007
- Tinamiformes
 - Tinamidae
 - Crypturellus noctivagus*
 - Eutrombicula tinami* Oudemans 1910
 - Nothura maculosa cearensis*
 - Apolonia tigipioensis* Carneiro 1949, 1952
- Mammalia
 - Artiodactyla
 - Bovidae
 - Goats
 - Eutrombicula batatas* Faccini et al. 2017
 - Eutrombicula alfreddugesi* Faccini et al. 2017

- Cervidae
Unidentified
Eutrombicula batatas Bequaert 1926
- Chiroptera
Emballonuridae
Saccopteryx bilineata
Perissopalla tanycera Brennan 1970a
Trombicula truncata Brennan 1970a
- Phyllostomidae
Carollia perspicillata
Perissopalla ipeani Brennan 1969b
Whartonia nudosetosa Silveira et al. 2015
Whartonia pachywhartoni Silveira et al. 2015
Glyphonycteris daviesi
Perissopalla barticonycteris Brennan 1969b
Micronycteris megalotis
Hooperella spinirostra Vercammen-Grandjean 1967
Whartonia pachywhartoni Vercammen-Grandjean 1966
Tonatia bidens
Perissopalla ipeani Almeida et al. 2011
- Molossidae
Nyctinomops laticaudatus
Chiroptella (Oudemansidium) australis Brennan 1970a
- Didelphimorphia
Didelphidae
Caluromys philander
Parasecia fundata Brennan 1969c
Didelphis albiventris
Arisocerus hertigi Goff and Gettinger 1989
Didelphis aurita
Eutrombicula tinami this study
Didelphis marsupialis
Kymocta faitkeni Brennan and Bronswijk 1973
Parasecia fundata Brennan 1969c
Didelphis sp.
Euschoengastia trouessarti Oudemans 1910
Eutrombicula bruyanti Oudemans 1910
Leeuwenhoekia verduni Oudemans 1910
Gracilinannus agilis
Colicus spinosus Goff and Gettinger 1989
Quadrasetta brasiliensis Goff and Gettinger 1989
Monodelphis americana
Quadrasetta brasiliensis Goff and Gettinger 1989

- Monodelphis brevicaudata*
- Parasecia valida* Brennan 1969c
- Monodelphis domestica*
- Parasecia aitkeni* Whitaker and Dietz 1987
- Trombewingia bakeri* Whitaker and Dietz 1987
- Monodelphis* sp.
- Colicus spinosus* this study
- Perissodactyla
 - Equidae
 - “Equines” Confalonieri and Benez 1976
 - Eutrombicula batatas*
- Pilosa
 - Myrmecophagidae
 - Tamandua tetradactyla*
 - Rhinibus tamandua* Brennan and Yunker 1969
- Primates
 - Callitrichidae
 - Lentopithecus rosalia*
 - Microtrombicula brennani* Goff et al. 1986
 - Speleocola tamarina* Goff et al. 1987
 - Hominidae
 - Homo sapiens*
 - Apolonia tigipioensis* Carneiro 1949, 1952
 - Eutrombicula alfreddugesi* Fonseca 1932a
- Rodentia
 - Unknown
 - “wild mouse”
 - Kymocta brasiliensis* Fonseca 1936
 - Caviidae
 - Cavia intermedia*
 - Arisocerus hertigi* Regolin et al. 2015
 - Cricetidae
 - Akodon montensis*
 - Kymocta brasiliensis* this study
 - Quadrasetta mirandae* this study
 - Quadrasetta pazca* this study
 - Trombewingia bakeri* Jacinavicius et al. 2015
 - Akodon* sp.
 - Parascoschoengastia aemulata* this study
 - Calomys tener*
 - Parasecia aitkeni* Whitaker and Dietz 1987
 - Quadrasetta pazca* Whitaker and Dietz 1987

*Cerradomys subflavus**Colicus brasiliensis* Goff et al. 1983*Delomys dorsalis**Trombewingia bakeri* Jacinavicius et al. 2015*Euryoryzomys macconnelli**Arisocerus amapensis* Brennan 1970*Euryoryzomys russatus**Quadraseta flochi* this study*Quadraseta pazca* this study*Necomys lasiurus**Kymocta faitkeni* Brennan and Bronswijk 1973*Kymocta lutui* Goff et al. 1983*Parasecia lasiurus* Goff and Gettinger 1991*Parasecia valida* Brennan 1969c*Serratacarus dietzi* Goff and Whitaker 1984a*Serratacarus lasiurus* Goff and Whitaker 1984a*Trombewingia brasiliensis* Goff and Gettinger 1991*Necomys squamipes**Aitkenius vellosus* Brennan 1970d*Parasecia aitkeni* Brennan and Jones 1960, Whitaker and Dietz 1987*Quadraseta trapezoides* this study*Hylaeamys megacephalus**Aitkenius vellosus* Brennan 1970d*Arisocerus amapensis* Brennan 1970c*Kymocta faitkeni* Brennan 1968b*Kymocta inca* Brennan 1968b, Brennan and Bronswijk 1973*Parasecia valida* Brennan 1969c*Polylopadium aspasium* Brennan 1969a*Quadraseta brasiliensis* Goff and Gettinger 1989*Oligoryzomys fornesi**Colicus brasiliensis* Goff et al. 1983*Oxymycterus* sp.*Parasecia lasiurus* Goff and Gettinger 1991*Rhipidomys mastacalis**Microtrombicula rhipidomysi* Goff et al. 1983*Sooretamys angouya**Speleocola tamarina* this study*Trombewingia bakeri* Jacinavicius et al. 2015

Ctenomyidae

*Ctenomys minutus**Paratrombicula plaumanni* Brennan and Jones 1964a

Dasyproctidae

Dasyprocta aguti

Eutrombicula batatas Bequaert 1926

Eutrombicula goeldii Oudemans 1910

Echimyidae

Proechimys guyannensis

Aitkenius vellosus Brennan 1970

Arisocerus amapensis Brennan 1970c

Buclypeus catatonus Brennan 1972

Buclypeus ignotus Brennan 1971b

Colicus icomi Brennan 1970b

Kymocta inca Brennan and Bronswijk 1973

Microtrombicula brachytrichia Brennan 1971b

Parasecia fundata Brennan 1969c

Parasecia orphana Brennan 1971b

Proechimys sp.

Polylopadium aspasium Brennan 1970a

Trinomys gratiosus

Caamembecaia gratiosus Gazêta et al. 2006

Sciuridae

Guerlinguetus ingrami

Trombewingia bakeri Fonseca 1955